UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/625,979	07/24/2003	Nagaraj Jayanth	0315-510CPA	1700
²⁷⁵⁷² HARNESS. DI	7590 02/05/2007 ICKEY & PIERCE, P.L.C.	EXAMINER		
P.O. BOX 828			JIANG, CHEN WEN	
BLOOMFIELD HILLS, MI 48303			ART UNIT	PAPER NUMBER
			3744	
·		<u> </u>		
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MC	NTHS	02/05/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

6	
>	0
0	U

	Application No.	Applicant(s)			
	10/625,979	JAYANTH ET AL.			
Office Action Summary	Examiner	Art Unit			
	Chen-Wen Jiang	3744			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on 20 No	ovember 2006.				
	action is non-final.				
3) Since this application is in condition for allowan	ice except for formal matters, pro	osecution as to the merits is			
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>74-107</u> is/are pending in the application	an.				
4a) Of the above claim(s) is/are withdraw					
5) Claim(s) is/are allowed.	m nom consideration.				
6)⊠ Claim(s) <u>74-107</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	election requirement.				
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10) \boxtimes The drawing(s) filed on <u>24 July 2003</u> is/are: a) \boxtimes accepted or b) \square objected to by the Examiner.					
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correcti	•				
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents)-(d) or (f).			
2. Certified copies of the priority documents	have been received in Applicati	on No			
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)	_				
Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail Da				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P				
. Patent and Trademark Office					

Application/Control Number: 10/625,979

Art Unit: 3744

DETAILED ACTION

Page 2

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/20/2006 has been entered.

Response to Amendment

2. The amendment filed 11/20/2006 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: The limitation of "a diagnostic device operable to diagnose a fault condition based on a moving window time average of said compressor operating in said ON condition when said motor protector restricts power to said motor" has not been disclosed in the specification.

Applicant is required to cancel the new matter in the reply to this Office Action.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 74-107 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not

Page 3

Art Unit: 3744

described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The limitation of "a diagnostic device operable to diagnose a fault condition based on a moving window time average of said compressor operating in said ON condition when said motor protector restricts power to said motor" has not been disclosed in the specification.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chen-Wen Jiang whose telephone number is (571) 272-4809. The examiner can normally be reached on Monday-Thursday from 8:00 to 6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Chen-Wen Jiang Primary Examiner

